

**EQUINOX DISTAL RADIUS SYSTEM 2021
KIT THREE**


To Order: +61 422 867 755

Case Information:

Date: _____


Surgeon: _____

Patient ID / Booking No.: _____




| Product Code (Theatre Usage Code) | Barcode | Supplier Code | DISPOSABLE INSTRUMENTS (SINGLE USE) | Assembly | Standard Qty | CASE USAG E |
|--------------------------------------|---------------|---|--|----------|--------------|-------------|
| 1213 | | 08.301.02.6090011 | 1. 1.5mm Guide Wire | | 5 | |
| 3897 | | 08.301.02.30400112 | 2. 1.25mm Guide Wire | | 5 | |
| 4385 | | 08.301.22.31101602 | 3. 1.8mm Drill Bit (Green) | | 2 | |
| 4384 | | 08.301.22.31101601 | 4. 2.0mm Drill Bit (Yellow) | | 2 | |
| Product Code (Theatre Usage Code) | Supplier Code | Number & Description | | Assembly | Standard Qty | CASE USAGE |
| 4378 | 31101302 | 5. 2.5mm Hex Screwdriver Shaft (2.7mm Cortex) | | | 1 | |
| 4420 | 31105402 | 5. 2.5mm Hex Screwdriver Shaft (2.7mm Cortex) (Short) | | | 1 | |
| 4413 | 31105100 | 6. 2.0mm Hex Screwdriver Shaft (2.4mm Cortex) | | | 2 | |
| 4386 | 31101701 | 7. 0.8Nm Torque Limiting Attachment | | | 1 | |
| 4578 | 34600600 | 8. Quick connect handle for Torque Limiter | | | 1 | |

| | | | | | |
|------|--------------------|--|--|---|--|
| 4424 | 31105402 | 9. T8 Stardrive Screwdriver Shaft | | 2 | |
| 4382 | 31101501 | 10. 2.0mm Screw in Drill Guide (Yellow) | | 2 | |
| 4383 | 31101502 | 11. 1.8mm Screw in Drill Guide (Green) | | 2 | |
| 4360 | 30902300 | 12. 1.8-2.4mm Drill Guide | | 1 | |
| 4355 | 30901300 | 13. 2.0-2.7mm Drill Guide | | 1 | |
| 4008 | 08.301.02.31404400 | 14. 2.4mm Variable Angle Drill Guide | | 1 | |
| 4417 | 31105105 | 15. T8 Star Screwdriver | | 1 | |
| 4787 | 818-005 | 16. Screwdriver Handle with Quick Coupling | | 1 | |












| Product Code (Theatre Usage Code) | Supplier Code | Number & Description | Assembly | Standard Qty | CASE USAGE |
|--------------------------------------|--------------------|---|----------|--------------|------------|
| 4661 | 6900073 | 17. Sharp Hook | | 1 | |
| 4627 | 08.301.02.6900006 | 18. Periosteal Elevator, Round Edge | | 1 | |
| 4368 | 08.301.02.30905900 | 19. Baby Hohmann Retractors | | 2 | |
| 4462 | 31109400 | 20. Crab Claw Reduction Forceps | | 2 | |
| 4361 | 30902400 | 21. Reduction Forceps with Points | | 1 | |
| 4486 | 31402000 | 22. Depth Gauge for Mini Screws (2.0-2.7mm) | 4 PARTS | 1 | |




BOTTOM TRAY









| Product Code (Theatre Usage Code) | Barcode | Supplier Code | Number & Description | Standard Qty | CASE USAGE |
|--------------------------------------|----------------------|---------------------|---|--------------|------------|
| 3125 | 0106912547644545 | 08.311.01.140161705 | 23. Volar Rim Radius Distal Volar Locking Compression plate-2 (7 holes on head) 5 holes/LEFT | 1 | |
| 3126 | 0106912547644552 | 08.311.01.140162705 | 23. Volar Rim Radius Distal Volar Locking Compression plate-2 (7 holes on head) 5 holes/RIGHT | 1 | |
| 3136 | 0106912547644569 | 08.311.01.140167703 | 24. Distal Volar Radius Variable Locking Compression plate-2 (7 holes on head) 3 holes/LEFT | 1 | |
| 3137 | 0106912547644576 | 08.311.01.140167704 | 24. Distal Volar Radius Variable Locking Compression plate-2 (7 holes on head) 4 holes/LEFT | 1 | |
| 3138 | 0106912547644583 | 08.311.01.140167705 | 24. Distal Volar Radius Variable Locking Compression plate-2 (7 holes on head) 5 holes/LEFT | 1 | |
| 3140 | 0106912547644590 | 08.311.01.140168703 | 25. Distal Volar Radius Variable Locking Compression plate-2 (7 holes on head) 3 holes/RIGHT | 1 | |
| 3141 | 0106912547644606 | 08.311.01.140168704 | 25. Distal Volar Radius Variable Locking Compression plate-2 (7 holes on head) 4 holes/RIGHT | 1 | |
| 3142 | 0106912547644613 | 08.311.01.140168705 | 25. Distal Volar Radius Variable Locking Compression plate-2 (7 holes on head) 5 holes/RIGHT | 1 | |







| | | | | | |
|------|---|---------------------|--|---|--|
| 3128 |  0106912547643739 | 08.311.01.140163703 | 26. Distal Volar Radius Variable Locking Compression plate-1 (6 holes on head) 3 holes/LEFT | 1 | |
| 3129 |  0106912547643746 | 08.311.01.140163704 | 26. Distal Volar Radius Variable Locking Compression plate-1 (6 holes on head) 4 holes/LEFT | 1 | |
| 3130 |  0106912547643753 | 08.311.01.140163705 | 26. Distal Volar Radius Variable Locking Compression plate-1 (6 holes on head) 5 holes/LEFT | 1 | |
| 3131 |  0106912547643777 | 08.311.01.140164703 | 27. Distal Volar Radius Variable Locking Compression plate-1 (6 holes on head) 3 holes/RIGHT | 1 | |
| 3132 |  0106912547643784 | 08.311.01.140164704 | 27. Distal Volar Radius Variable Locking Compression plate-1 (6 holes on head) 4 holes/RIGHT | 1 | |
| 3133 |  0106912547643791 | 08.311.01.140164705 | 27. Distal Volar Radius Variable Locking Compression plate-1 (6 holes on head) 5 holes/RIGHT | 1 | |

| | | | | | |
|------|---|---------------------|--|---|--|
| 2553 |  0106912547001577 | 08.311.01.100735804 | 28. Distal Radius Locking Compression Plates, Straight, 4 holes (Radial Styloid plate) | 1 | |
| 2554 |  0106912547001584 | 08.311.01.100735805 | 28. Distal Radius Locking Compression Plates, Straight, 5 holes (Radial Styloid plate) | 1 | |
| 2555 |  0106912547001591 | 08.311.01.100735806 | 28. Distal Radius Locking Compression Plates, Straight, 6 holes (Radial Styloid plate) | 1 | |


| | | | | | |
|------|---|---------------------|--|---|--|
| 2546 |  0106912547001423 | 08.311.01.100730803 | 29. Distal Radius Locking Compression T-Plate, 3 holes | 1 | |
| 2547 |  0106912547001430 | 08.311.01.100730804 | 29. Distal Radius Locking Compression T-Plate, 4 holes | 1 | |
| 2548 |  0106912547001447 | 08.311.01.100730805 | 29. Distal Radius Locking Compression T-Plate, 5 holes | 1 | |

| | | | | | |
|------|---|---------------------|--|---|--|
| 3112 |  0106912547364108 | 08.311.01.101999803 | 30. Distal Radius Locking Compression L-Plate, oblique (2 holes on head), 3 Holes/LEFT | 1 | |
| 3113 |  0106912547364115 | 08.311.01.101999804 | 30. Distal Radius Locking Compression L-Plate, oblique (2 holes on head), 4 Holes/LEFT | 1 | |
| 3114 |  0106912547364122 | 08.311.01.101999805 | 30. Distal Radius Locking Compression L-Plate, oblique (2 holes on head), 5 Holes/LEFT | 1 | |


| | | | | | |
|------|---|---------------------|---|---|--|
| 3115 |  0106912547364528 | 08.311.01.102008803 | 31. Distal Radius Locking Compression L-Plate, oblique (2 holes on head), 3 Holes/ RIGHT | 1 | |
| 3116 |  0106912547364535 | 08.311.01.102008804 | 31. Distal Radius Locking Compression L-Plate, oblique (2 holes on head), 4 Holes/ RIGHT | 1 | |
| 3117 |  0106912547364542 | 08.311.01.102008805 | 31. Distal Radius Locking Compression L-Plate, oblique (2 holes on head), 5 Holes/ RIGHT | 1 | |


















| | | | | | |
|------|---|---------------------|---|---|--|
| 2570 |  0106912547002406 | 08.311.01.100779803 | 32. Distal Radius Locking Compression L-Plate, oblique (3 holes on head), 3 Holes/ LEFT | 1 | |
| 2571 |  0106912547002413 | 08.311.01.100779804 | 32. Distal Radius Locking Compression L-Plate, oblique (3 holes on head), 4 Holes/ LEFT | 1 | |
| 2572 |  0106912547002420 | 08.311.01.100779805 | 32. Distal Radius Locking Compression L-Plate, oblique (3 holes on head), 5 Holes/ LEFT | 1 | |
| 2573 |  0106912547002543 | 08.311.01.100788803 | 33. Distal Radius Locking Compression L-Plate, oblique (3 holes on head), 3 Holes/ RIGHT | 1 | |
| 2574 |  0106912547002550 | 08.311.01.100788804 | 33. Distal Radius Locking Compression L-Plate, oblique (3 holes on head), 4 Holes/ RIGHT | 1 | |
| 2575 |  0106912547002567 | 08.311.01.100788805 | 33. Distal Radius Locking Compression L-Plate, oblique (3 holes on head), 5 Holes/ RIGHT | 1 | |

SCREW CADDY




| Product Code (Theatre Usage Code) | Barcode | Supplier Code | Number & Description | Standard Qty | CASE USAGE |
|--------------------------------------|----------------------|---------------------|--------------------------------------|--------------|------------|
| 3378 | 0106912547002857 | 08.311.01.300182710 | 1. 2.7mm Locking screw (2.7x10mm) | 4 | |
| 3379 | 0106912547002864 | 08.311.01.300182712 | 1. 2.7mm Locking screw (2.7x12mm) | 4 | |
| 3380 | 0106912547002871 | 08.311.01.300182714 | 1. 2.7mm Locking screw (2.7x14mm) | 4 | |
| 3381 | 06912547370154 | 08.311.01.300182715 | 1. 2.7mm Locking screw (2.7x15mm) | 4 | |
| 3382 | 0106912547002888 | 08.311.01.300182716 | 1. 2.7mm Locking screw (2.7x16mm) | 4 | |
| 3383 | 0106912547370017 | 08.311.01.300182717 | 1. 2.7mm Locking screw (2.7x17mm) | 4 | |
| 3384 | 0106912547002895 | 08.311.01.300182718 | 1. 2.7mm Locking screw (2.7x18mm) | 4 | |
| 3385 | 06912547370192 | 08.311.01.300182719 | 1. 2.7mm Locking screw (2.7x19mm) | 4 | |

| | | | | | |
|------|---|---------------------|--------------------------------------|---|--|
| 3386 |  0106912547002901 | 08.311.01.300182720 | 1. 2.7mm Locking screw (2.7x20mm) | 4 | |
| 3387 |  0106912547002918 | 08.311.01.300182722 | 1. 2.7mm Locking screw (2.7x22mm) | 4 | |
| 3388 |  0106912547002925 | 08.311.01.300182724 | 1. 2.7mm Locking screw (2.7x24mm) | 4 | |
| 3389 |  0106912547002932 | 08.311.01.300182726 | 1. 2.7mm Locking screw (2.7x26mm) | 4 | |
| | | | | | |
| 1659 |  0106939488391475 | 08.301.11.6112710 | 2. 2.7mm Cortex screw (2.7x10mm) | 3 | |
| 1660 |  0106939488391482 | 08.301.11.6112712 | 2. 2.7mm Cortex screw (2.7x12mm) | 3 | |
| 1661 |  0106939488391499 | 08.301.11.6112714 | 2. 2.7mm Cortex screw (2.7x14mm) | 3 | |
| 1662 |  06912547371151 | 08.301.11.6112715 | 2. 2.7mm Cortex screw (2.7x15mm) | 3 | |
| 1663 |  0106939488391505 | 08.301.11.6112716 | 2. 2.7mm Cortex screw (2.7x16mm) | 3 | |
| 1664 |  06912547370178 | 08.301.11.6112717 | 2. 2.7mm Cortex screw (2.7x17mm) | 3 | |
| 1665 |  0106939488391512 | 08.301.11.6112718 | 2. 2.7mm Cortex screw (2.7x18mm) | 3 | |
| 1666 |  06912547371199 | 08.301.11.6112719 | 2. 2.7mm Cortex screw (2.7x19mm) | 3 | |
| 1667 |  0106939488391529 | 08.301.11.6112720 | 2. 2.7mm Cortex screw (2.7x20mm) | 3 | |
| 1668 |  0106939488391536 | 08.301.11.6112722 | 2. 2.7mm Cortex screw (2.7x22mm) | 3 | |
| 1669 |  0106939488391543 | 08.301.11.6112724 | 2. 2.7mm Cortex screw (2.7x24mm) | 3 | |
| 1670 |  0106939488391550 | 08.301.11.6112726 | 2. 2.7mm Cortex screw (2.7x26mm) | 3 | |

| | | | | | |
|------|---|---------------------|--|----|--|
| 1634 |  0106939488399327 | 08.301.11.6112410 | 3. 2.4mm Cortex screw (2.4x10mm) | 2 | |
| 1636 |  0106939488399341 | 08.301.11.6112412 | 3. 2.4mm Cortex screw (2.4x12mm) | 2 | |
| 1638 |  0106939488399365 | 08.301.11.6112414 | 3. 2.4mm Cortex screw (2.4x14mm) | 2 | |
| 1639 |  0106939488399372 | 08.301.11.6112416 | 3. 2.4mm Cortex screw (2.4x16mm) | 2 | |
| 1640 |  0106939488399389 | 08.301.11.6112418 | 3. 2.4mm Cortex screw (2.4x18mm) | 2 | |
| 1641 |  0106939488399396 | 08.301.11.6112420 | 3. 2.4mm Cortex screw (2.4x20mm) | 2 | |
| 1642 |  0106939488399402 | 08.301.11.6112422 | 3. 2.4mm Cortex screw (2.4x22mm) | 2 | |
| 1643 |  0106939488399419 | 08.301.11.6112424 | 3. 2.4mm Cortex screw (2.4x24mm) | 2 | |
| 1644 |  0106939488399426 | 08.301.11.6112426 | 3. 2.4mm Cortex screw (2.4x26mm) | 2 | |
| 3145 |  0106912547645580 | 08.311.01.150024010 | 4. 2.4mm Variable Angle Locking screw (2.4x10mm) | 5 | |
| 3146 |  0106912547645597 | 08.311.01.150024012 | 4. 2.4mm Variable Angle Locking screw (2.4x12mm) | 5 | |
| 3147 |  0106912547645603 | 08.311.01.150024014 | 4. 2.4mm Variable Angle Locking screw (2.4x14mm) | 5 | |
| 3148 |  0106912547645610 | 08.311.01.150024016 | 4. 2.4mm Variable Angle Locking screw (2.4x16mm) | 5 | |
| 3149 |  0106912547645627 | 08.311.01.150024018 | 4. 2.4mm Variable Angle Locking screw (2.4x18mm) | 5 | |
| 3150 |  0106912547645634 | 08.311.01.150024020 | 4. 2.4mm Variable Angle Locking screw (2.4x20mm) | 10 | |
| 3151 |  0106912547645641 | 08.311.01.150024022 | 4. 2.4mm Variable Angle Locking screw (2.4x22mm) | 10 | |
| 3152 |  0106912547645658 | 08.311.01.150024024 | 4. 2.4mm Variable Angle Locking screw (2.4x24mm) | 5 | |

To Order: +61 422 867 755

| | | | | | |
|------|---|---------------------|---|---|--|
| 3153 |  0106912547645665 | 08.311.01.150024026 | 4. 2.4mm Variable Angle Locking screw (2.4x26mm) | 5 | |
|------|---|---------------------|---|---|--|